

Chemical Resistance Questionnaire

Building Head Office

1 Bickley Road, Pretoriusstad, Nigel Tel: +27 11 739-8600

Mining & Industrial Head Office 1 Piet Pretorius Street, Rosslyn, Pretoria

Tel: 0861 MARLEY (627539)

| Customer | | | Service conditions | |
|--------------------------------|---------------|-----------|------------------------------------|---------------|
| Street | | | Operating temperature | °C |
| Postal Code/Town | | | Max. temperature | °C |
| Phone | | | Fluctuating temperature | ☐ Yes ☐ No |
| Fax | | | Operating pressure | |
| | | | Application | ☐ Indoor |
| Marley material desired: | | | | ☐ Outdoor |
| Mariey material desired. | | | With insulation | ☐ Yes |
| | | | | □No |
| Chemical medium/combinatio | n | | Enquiry relates to: | |
| All substances (media) | Concentration | Share (%) | ☐ Tank/vessel (full thermoplastic) | |
| | of medium (%) | | ☐ Collecting vessel | |
| | | | ☐ Piping system | |
| | | | ☐ Double containment piping syst | em |
| | | | ☐ Composite construction | |
| | | | ☐ Tank/vessel liner | |
| | | | ☐ Transport vessel | |
| | | | ☐ Waste gas system | |
| | | | Pump | |
| | | | | |
| | | | | |
| | | | Date/Signature | |
| | | | | |
| | | | | |
| (Please complete form and/or e | | <u> </u> | | |





